BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA3066**

Sample Received: **February 25, 2026** COA Issued: **February 28, 2026**

PRODUCT INFORMATION

Vendor: **Peptide Pro**

Sample Name: **BPC-157 5mg**

Sample Type: **White lyophilized powder**

Batch Number: **BPC5-050125**

MW: **1419.2 g/mol**

ANALYTICAL METHODS

Identity: Confirmed via MALDI–MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation

TEST RESULTS

Specification	Result		Method	Status
Identity: BPC-157	**BPC-157**		**MALDI-MS**	**✓ Conforms**
Content	Original:	**6.12 mg**	HPLC Quantitation	**✓ Conforms**
	Conformity:	**5.87 mg**		
Overall Purity	Original:	**99.6%**	RP-HPLC (214 nm)	**✓ Conforms**
	Conformity:	**99.6%**		

ANALYTICAL DATA

HPLC Chromatogram (Retention Time: 5.992 min)



Mass Spectrum (MALDI-MS)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: https://bioviridians.com/coa-search.html

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.

Contact: info@bioviridians.com