BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA3571**

Sample Received: **April 1, 2026** | COA Issued: **April 6, 2026**

PRODUCT INFORMATION

Vendor:	Sample Name:	Sample Type:	Lot Number:
Peptides Source	**BPC-157 15 mg**	**White lyophilized powder**	**NA**

MW: **1419.56 g/mol**

ANALYTICAL METHODS

Identity: Confirmed via MALDI–MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: BPC-157	**BPC-157**	**MALDI-MS**	✓ Conforms
Content	**15.40 mg**	HPLC Quantitation	✓ Conforms
Overall Purity	**99.7%**	RP-HPLC (214 nm)	✓ Conforms


ANALYTICAL DATA

HPLC Chromatogram (Retention Time: 5.958 min)





Mass Spectrum (MALDI-MS)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: https://bioviridians.com/coa-search.html

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.

Contact: info@bioviridians.com