

Sample Received: **June 1, 2026**COA Issued: **June 17, 2026**

## PRODUCT INFORMATION

Vendor: **American Peptides**      Sample Name: **Retatrutide 30mg**      Sample Type: **White lyophilized powder**      Lot Number: **RT30-0528**      MW (g/mol): **4731.2**

## ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS



Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

## TEST RESULTS

Specification	Result	Method	Status
Identity: Retatrutide	Retatrutide	MALDI-MS	✓ Conforms
Content	30.84 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.9%	RP-HPLC (214 nm)	✓ Conforms
Sterility	Not Detected	<USP71>	✓ Conforms
Heavy Metals	<0.01ppm	<USP232>	✓ Conforms
Endotoxin	<0.05 EU/mL	<USP85>	✓ Conforms

### HPLC Chromatogram (Retention Time: 11.044 min)



**Certification:** This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



*Shane Straight*  
Shane Straight, M.S.  
Principal Chemist, Bioviridian Inc.