BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA6590**

Sample Received: **July 16, 2026** | COA Issued: **August 10, 2026**

PRODUCT INFORMATION

Vendor:	Sample Name:	Sample Type:	Lot Number:	MW:
MY PEPTIDE SUPPLY	**B-WATER 10mL**	**Clear liquid**	**00011**	**91.1**

ANALYTICAL METHODS


Identity: Confirmed via LC–MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: B-WATER	**Benzyl Alcohol**	**LC/MS-MS**	✓ Conforms
Content	**1.001 %**	HPLC Quantitation	✓ Conforms
Overall Purity	**99.8%**	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	**<0.05 EU/mL**	**<USP85>**	✓ Conforms
pH	**7.11**	**<pH meter>**	✓ Conforms

HPLC Chromatogram (Retention Time: 5.997 min)







Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: https://bioviridians.com/coa-search.html

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.