

SAMPLE RECEIVED
August 11, 2026COA ISSUED
August 28, 2026

SAMPLE INFORMATION

Vendor
American PeptidesSample Name
KLOW Blend 80mgSample Type
Blue lyophilized powderLot Number
KLOW80-0713MW (g/mol)
342.4, 403.2, 1419.5, 4964.2



ANALYTICAL METHODS

Identity: Confirmed via LC-MS/MS**Purity:** RP-HPLC (214 nm)**Content:** HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: KLOW Blend	KLOW Blend	LC-MS/MS	✓ Conforms
Content	50.71,10.14,10.82,10.77 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.81%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/ml	<USP85>	✓ Conforms
Heavy Metals	<0.01 ppm	<USP232>	✓ Conforms
Sterility	Not Detected	<USP71>	✓ Conforms

HPLC Chromatogram · Retention Time 1.971, 2.087, 9.118, 9.163 min

**Certification:** This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.Verify authenticity at bioviridians.com/coa-search.html using the Web Verification Code above.

info@bioviridians.com

Shane Straight
Shane Straight, M.S.

Principal Chemist, Bioviridian Inc.