

SAMPLE RECEIVED
August 11, 2026

COA ISSUED
August 14, 2026

SAMPLE INFORMATION

Vendor	Sample Name	Sample Type
GLP3	BAC Water 6mL	Clear liquid
Lot Number	MW (g/mol)	
WA03-260715	91.1	

ANALYTICAL METHODS

Identity: Confirmed via LC-MS/MS


Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: BAC Water	Benzyl Alcohol	LC-MS/MS	✓ Conforms
Content	1.002 %	HPLC Quantitation	✓ Conforms
Overall Purity	99.86 %	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 Eu/mL	<USP85>	✓ Conforms
pH	4.53	<pH Meter>	✓ Conforms

HPLC Chromatogram · Retention Time 5.904 min



Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at bioviridians.com/coa-search.html using the Web Verification Code above.



info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.