BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA8241**

SAMPLE RECEIVED
April 30, 2026

COA ISSUED
May 4, 2026

SAMPLE INFORMATION

Vendor
Source research supply

Sample Name
GLOW 70mg

Sample Type
Blue lyophilized powder

Lot Number
V5-26-018

MW (g/mol)
403.2 , 1419.4, 4964


ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS


Specification	Result	Method	Status
Identity: GLOW	GHK-Cu, BPC-157, TB-500	LC-MS/MS	✓ Conforms
Content	52.11, 11.67, 10.10 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.9%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/ml	<USP85>	✓ Conforms

HPLC Chromatogram · Retention Time 2.13, 2.57, 6.08 **min**









Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.