BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA8244**

SAMPLE RECEIVED
May 29, 2026

COA ISSUED
May 31, 2026

SAMPLE INFORMATION

Vendor
Source research supply

Sample Name
GLP3-RT 30mg

Sample Type
White lyophilized powder

Lot Number
V4-26-010

MW (g/mol)
4731.3


ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: GLP3-RT	GLP3-RT	LC-MS/MS	✓ Conforms
Content	31.03 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.9%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/ml	<USP85>	✓ Conforms

HPLC Chromatogram · Retention Time 11.052 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.