

SAMPLE RECEIVED  
September 1, 2026COA ISSUED  
September 7, 2026

## SAMPLE INFORMATION

Vendor  
**Elite Synthetics**Lot Number  
**ES-KLOW80-260701-001**Sample Name  
**KLOW 80mg**Molecular Weight  
**342.4, 403.2, 1419.5, 4964.2 g/mol**Sample Type  
**Blue lyophilized powder**



## ANALYTICAL METHODS

**Identity:** Confirmed via LC-MS/MS**Purity:** RP-HPLC (214 nm)**Content:** HPLC quantitation

## TEST RESULTS

| Specification  | Result                       | Method            | Status     |
|----------------|------------------------------|-------------------|------------|
| Identity: KLOW | KPV, GHK-Cu, BPC-157, TB-500 | LC-MS/MS          | ✓ Conforms |
| Content        | Original: <b>Hersh mg</b>    | HPLC Quantitation | ✓ Conforms |
|                | Conformity: <b>LK</b>        |                   |            |
| Overall Purity | Original: <b>Bp mg</b>       | RP-HPLC (214 nm)  | ✓ Conforms |
|                | Conformity: <b>99.82%</b>    |                   |            |
| Endotoxin      | Original: <b>99.8%</b>       | <USP85>           | ✓ Conforms |
|                | Conformity: <b>99.8%</b>     |                   |            |
| Heavy Metals   | <0.01 ppm                    | <USP232>          | ✓ Conforms |

## HPLC Chromatogram · Retention Time 1.922, 2.088, 9.084, 9.202 min

**Certification:** This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.Verify authenticity at [bioviridians.com/coa-search.html](https://bioviridians.com/coa-search.html) using the Web Verification Code above.

info@bioviridians.com

*Shane Straight***Shane Straight, M.S.**  
Principal Chemist, Bioviridian Inc.