BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA8763**

SAMPLE RECEIVED
September 1, 2026

COA ISSUED
September 6, 2026

SAMPLE INFORMATION

Vendor
Peptides Source

Sample Name
KLOW 80mg

Sample Type
Blue lyophilized powder

Lot Number
NA

MW (g/mol)
342.4, 403.2, 1419.5, 4964.2

ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: KLOW	KPV, GHK-Cu, BPC-157, TB-500	LC-MS/MS	✓ Conforms
Content	10.73 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.79%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram · Retention Time 1.904, 2.090, 9.075, 9.209 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.