

SAMPLE RECEIVED  
August 27, 2026

COA ISSUED  
September 3, 2026

## SAMPLE INFORMATION

|                                      |                                        |                                                |
|--------------------------------------|----------------------------------------|------------------------------------------------|
| Vendor<br><b>Selora Biosystems</b>   | Sample Name<br><b>Thymalin 10mg</b>    | Sample Type<br><b>White lyophilized powder</b> |
| Lot Number<br><b>THY-10:09032026</b> | Molecular Weight<br><b>858.9 g/mol</b> |                                                |

## ANALYTICAL METHODS

**Identity:** Confirmed via LC-MS/MS



**Purity:** RP-HPLC (214 nm)

**Content:** HPLC quantitation

## TEST RESULTS

| Specification      | Result   | Method            | Status     |
|--------------------|----------|-------------------|------------|
| Identity: Thymalin | Thymalin | LC-MS/MS          | ✓ Conforms |
| Content            | 10.73 mg | HPLC Quantitation | ✓ Conforms |
| Overall Purity     | 99.65%   | RP-HPLC (214 nm)  | ✓ Conforms |

### HPLC Chromatogram · Retention Time 5.858 min



**Certification:** This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at [bioviridians.com/coa-search.html](https://bioviridians.com/coa-search.html) using the Web Verification Code above.



[info@bioviridians.com](mailto:info@bioviridians.com)

*Shane Straight*

**Shane Straight, M.S.**  
Principal Chemist, Bioviridian Inc.