BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA9331**

SAMPLE RECEIVED
September 14, 2026

COA ISSUED
September 17, 2026

SAMPLE INFORMATION

Vendor
Selora Biosystems

Sample Name
FOX04-DRI 10mg

Sample Type
White lyophilized powder

Lot Number
FOX-10:0902026

Molecular Weight
5358.1 g/mol

ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: FOX04-DRI	FOX04-DRI	LC-MS/MS	✓ Conforms
Content	11.41 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.86%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram · Retention Time 9.538 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.