

SAMPLE RECEIVED
September 18, 2026

COA ISSUED
September 25, 2026

SAMPLE INFORMATION

Vendor	Sample Name	Sample Type
NextGenPeps	GLOW Stack 70mg	Blue lyophilized powder
Lot Number	Molecular Weight	
NA	403.2, 1419.5, 4964.2 g/mol	

ANALYTICAL METHODS

Identity: Confirmed via LC-MS/MS


Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: GLOW Stack	GHK-Cu, BPC-157, Thymosin Beta-4 (TB-500)	LC-MS/MS	✓ Conforms
Content	51.06, 10.51, 10.82 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.71%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/ml	<USP85>	✓ Conforms

HPLC Chromatogram · Retention Time 2.096, 9.140, 9.187 min



Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at bioviridians.com/coa-search.html using the Web Verification Code above.



info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.